



# HARYANA STATE POLLUTION CONTROL BOARD



**Regional Office, HSPCB, Jind SCO 23-24, District Shopping Centre, Ground Floor, LIC Branch Office, Sector-10, Urban Estate, Jind- 126102. Email:- hspcbrojnd@gmail.com  
E-mail: hspcb@hry.nic.in**

**No. HSPCB/Consent/ : 320220923JINCTO43383131**

**Dated:02/09/2023**

To.

M/s :Divya Waste Management Co.  
V & PO Shahpur, Tehsil Alewa, District Jind Haryana

Subject: Grant of consent to operate to M/s Divya Waste Management Co..

Please refer to your application no. 43383131 received on dated 2023-08-11 in regional office Jind. With reference to your above application for consent to operate, M/s Divya Waste Management Co. is hereby granted consent as per following specification/Terms and conditions.

<b>Consent Under</b>	BOTH
<b>Period of consent</b>	02/09/2023 - 30/09/2028
<b>Industry Type</b>	Common treatment and disposal facilities(CETP, TSDF, E- waste recycling, CBMWTF, effluent conveyance project, incinerator, solvent/acid recovery plant, MSW sanitary land fill site)
<b>Category</b>	RED
<b>Investment(In Lakh)</b>	110.0
<b>Total Land Area(Sq. meter)</b>	4552.71
<b>Total Builtup Area(Sq. meter)</b>	756.0
<b>Quantity of effluent</b>	
1. Trade	4.5 KL/Day
2. Domestic	0.5 KL/Day
<b>Number of outlets</b>	2.0
<b>Mode of discharge</b>	
1. Domestic	SEPTIC TANK
2. Trade	ETP AFTER TREATMENT FOR RECYCLING/REUSE IN PROCESS
<b>Domestic Effluent Parameters</b>	
1. NA	0
<b>Trade Effluent Parameters</b>	
1. BOD	30 mg/l
2. COD	250 mg/l
3. TSS	100 mg/l
4. pH	5.5-9.0
5. O & G	10 mg/l

Number of stacks	2
<b>Height of stack</b>	
1. Stack attached to Incinerator	35 mtr.
2. stack attached to Dg set 62.5	06 mtr.
<b>Emission parameters</b>	
1. SPM	50 mg/m <sup>3</sup>
2. HCL	50 mg/m <sup>3</sup>
3. Total Dioxins and Furans	0.1 mg/TEQ/Nm <sup>3</sup>
4. Hg and its compound	0.05
<b>Product Details</b>	
1. TREATMENT OF BIO MEDICAL WASTE (KG/D)	750
<b>Capacity of boiler</b>	
1. NA	0 Ton/hr
<b>Type of Furnace</b>	
1. Dual chamber type Incinerator Bio diesel fired	100 KG/Hour
2. Processing capacity of plant	750 kg/d
<b>Type of Fuel</b>	
1. Bio Diesel for Incinerator	02 KL/D
2. Diesel	0.12 KL/day
<b>Raw Material Details</b>	
BIO MEDICAL WASTE	750 Kg/Day

**Regional Officer, Jind**  
**Haryana State Pollution Control Board.**

### Terms and conditions

1. The applicants shall maintain good house keeping both within factory and in the premises. All hose pipelines valves, storage tanks etc. shall be leak proof. In plant allowable pollutants levels, if specified by State Board should be met strictly.
2. The applicant/company shall comply with and carry out directive/orders issued by the Board in this consent order at all subsequent times without negligence of his /its part. The applicant/company shall be liable for such legal action against him as per provision of the law/act in case of violation of any order/directives. Issued at any time and or non compliance of the terms and conditions of his consent order.
3. The applicant shall make an application for grant of consent at least 90 days before the date of expiry of this consent.

4. Necessary fee as prescribed for obtaining renewal consent shall be paid by the applicant alongwith the consent application.
5. If due to any technological improvement or otherwise this Board is of opinion that all or any of the conditions referred to above required variation (including the change of any control equipment either in whole or in part) this Board shall after giving the applicant an opportunity of being heard vary all or such condition and there upon the applicant shall be bound to comply with the conditions so varied.
6. The industry shall provide adequate arrangement for fighting the accidental leakages, discharge of any pollutants gas/liquids from the vessels, mechanical equipment etc. which are likely to cause environment pollution.
7. The industry shall comply noise pollution (Regulation and control) Rules, 2000.
8. The industry shall comply all the direction/Rules/Instructions as may be issued by the MOEF/CPCB/HSPCB from time to time.
9. The industry shall ensure that various characteristics of the effluents remain within the tolerance limits as specified in EPA Standard and as amended from time to time and at no time the concentration of any characteristics should exceed these limits for discharge.
10. The industry would immediately submit the revised application to the Board in the event of any change in the raw material in process, mode of treatment/discharge of effluent. In case of change of process at any stage during the consent period, the industry shall submit fresh consent application alongwith the consent to operate fee, if found due, which may be on any account and that shall be paid by the industry and the industry would immediately submit the consent application to the Board in the event of any change during the year in the raw material, quantity, quality of the effluent, mode of discharge, treatment facilities etc.
11. The officer/official of the Board shall reserve the right to access for the inspection of the industry in connection with the various process and the treatment facilities. The consent to operate is subject to review by the Board at any time.
12. Permissible limits for any pollutants mentioned in the consent to operate order should not exceed the concentration permitted in the effluent by the Board.
13. The industry shall pay the balance fee, in case it is found due from the industry at any time later on.
14. If the industry fails to adhere to any of the conditions of this consent to operate order, the consent to operate so granted shall automatically lapse.
15. If the industry is closed temporarily at its own, they shall inform the Board and obtain permission before restart of the unit.
16. The industry shall comply all the Directions/ Rules/Instructions issued from time to time by the Board.

#### **Specific Conditions :**

1. The unit will keep all parameters within standards prescribed under Environment (Protection) Rules, 1986 by running and maintaining pollution control measures regularly and effectively.
2. The unit will make agreement with authorized TSDF/Recycler for disposal of hazardous waste i.e. ETP sludge/Used oil of DG set before start of operation of the unit and will submit the Annual Report under HWM Rules, 2016 by 30th June every year.
3. The unit will submit the Environment Statement by 30th September every year.
4. Unit will deposit balance consent fee if any found due at any stage.
5. Unit will utilize their treated effluent as declared in their application.
6. Unit will apply for renewal of consent/Authorization at least 90

days before expiry date of the consent/Authorization.7. This CTO is prejudice to any action under the provisions of applicable laws / acts / notification / courts order to be taken in respect of any violation at any stage without any claim of the unit. If the unit fails to comply the provisions/conditions of CTO, various applicable provisions of concerned departments / agencies / authorities / any relevant decision of court, the consent to operate so granted shall be revoked automatically without giving any notice. 8. Unit will follow all the guidelines regarding CBWTF issued by board time to time.9.Unit will complying the condition of guideline of EIA obtained from SEIAA.10.Unit will submit analysis report within 03 month after operation of the unit.11.Unit will obtained authorization under HWM rules.

***Regional Officer, Jind  
Haryana State Pollution Control Board.***

