

HARYANA STATE POLLUTION CONTROL BOARD

Regional Office, HSPCB, Jind SCO 23-24, District Shopping Centre, Ground



Floor, LIC Branch Office, Sector-10, Urban Estate, Jind- 126102. Email:-

hspcbrojnd@gmail.com



No. HSPCB/BMW/2023-2024

Dated 18/09/2023

Authorization No. BMW23JIN45428786

Application No.
45428786

Date of Submission 06/09/2023

BIO MEDICAL WASTE AUTHORIZATION CERTIFICATE**UNDER BIO MEDICAL WASTE RULES,2016.**

1. M/s :Divya Waste Management Co. an occupier or operator of the facility located at V & PO Shahpur, Tehsil Alewa, District Jind Haryana , is hereby granted an authorisation for; Generation, segregation, Collection, Storage, Reception, Transportation, Treatment or processing or conversion, Disposal or destruction use

2. M/s Divya Waste Management Co. is hereby authorized for handling of Biomedical Waste as per the capacity given below:

- (i) Number healthcare facilities covered by CBMWTF: 642 (Jind and Sonipat)
(ii) Installed treatment and disposal capacity: 2400 Kg/Day
(iii) Area or distance covered by CBMWTF: 150
(iv) Quantity of Biomedical waste handled, treated or disposed:

Category	Type of Waste	Quantity Generated or collected in Kg/day
Yellow	a) Human Anatomical Waste	05
	b) Animal Anatomical Waste	0
	c) Soiled Waste	20
	d) Expired or Discarded Medicines	5
	e) Chemical Solid Waste	1014
	f) Chemical Liquid Waste	2.0
	g) Discarded linen, mattresses, beddings contaminated with blood or body fluid	0
	h) Microbiology, Biotechnology and other clinical laboratory waste	3
Red	Contaminated waste (Recyclable)	98
White (Translucent)	Waste sharps including Metals	41
Blue	Glassware	75
	Metallic Body Implants	

3. This authorisation shall be in force for CBMWTF from a period of 18/09/2023 To 30/09/2028 Year from the date of issue.
4. This authorisation is subject to the condition stated below and to such other condition as may be specified in the rules for the time being in force under the Environment (Protection) Act, 1986.

TERMS & CONDITIONS OF AUTHORISATION:-

1. The applicants shall comply with the provisions of Bio-Medical Waste Management Rules 2016 notified vide No.S.O. 630(E) dated 20th July,2016
2. Bio-Medical Waste shall be treated & disposed off in Compliance with the standards prescribed in Schedule 1.
3. Every occupier where required shall setup in accordance with the time schedule-IV, requisite treatment Bio-Medical Waste treatment facilities like incinerator,autoclave,microwave system for the treatment of the waste at a common waste treatment facility or any other waste treatment facility.
4. Bio-Medical Waste shall not be mixed with any other waste.
5. Bio-Medical Waste shall be segregated into containers/bags at appoint of generation with Shedule-II prior to its storage, transportation,treatment & disposal.The containers shall be labeled according to Schedule-II
6. If a container is transported from the premises where Bio-Medical Waste is generated to any waste treatment facility outside the premises where Bio-Medical Waste is generated to any waste treatment facility outside the premises, the container shall apart from the label prescribed in schedule III, also carry information according to Schedule IV.
7. Notwithstanding anything contains in Motors Vehicle Act, 1995 or rules there under, untreated the Bio-medical Waste shall be transported only in such vehicle as may be authorised for the purpose by the competent authority as specified by the Govt.
8. No untreated Bio-Medical Waste Shall be kept stored beyond a period of 48 hours.
9. Every authorised person shall maintain records related to the generation, collection, reception, storage, transportation, treatment disposal of Bio-Medical Waste in accordance with those rules & any guideline issued.
10. All records shall be subject to inspection & verifications by the prescribed authority at any time.
11. Suitably designed pollution control devices should be installed/retrofitted with the incinerator to acheive the above emission limits, if necessary.
12. Waste to be incinarated shall not be chemically treated with any chlorinated disinfectants.
13. Chlorinated plastics shall not be incinarated.Toxic metals in incinaration ash shall be limited with the regulatory quantities as defined under the Hazardous Waste Management Rules, 2016.
14. Only low sulphur fuel like L.D.O/L.S.H.S/Deisel shall be used as fuel in the incinarator.
15. Occupier will comply all direction for generation, collection, reception, storage, transportation, treatment, disposal as per Bio-Medical Waste Management Rules 2016 & will ensure that there is no adverse effect to human & Environment.
16. The occupier will segregate the Bio-Medical Waste at the point of generation in accordance with the special-II of Bio-Medical Waste Management Rules, 2016.

17. The authorization would be subject/having proper disposal system for Bio-Medical Waste.
18. The unit shall maintained a log Book for suggestion/collection of Bio-Medical Waste at the source (i.e.wards) and also for each category of waste i.e.incineration, autoclaving or landfill etc.
19. The yellow Bags should be non chlorinated bags.
20. The every occupier will also submit the copy of agreement every year before 30th April from any authorised services provider.

Conditions:

4. The unit will adhere the BMW Rules, 2016. 2. Unit will submit annual returns regularly before 30th June every year 3. The unit will submit annual report every year as per BMW Rules. 4. The unit will renew agreement with GEPIIL for disposal of HW and submit hard copy in this office. 5. The unit will apply for consent to operate as per BMW Rules, 2016.6.Unit will maintained. 6. Unit will submit the fresh agreements with service providers on yearly basis. 7. The unit will comply with provisions of the BMW Rules, 2016 and Environment Protection Act, 1986.8. The unit will abide by the directions/guidelines HSPCB/CPCB/ Decisions of any court/EPCA/ direction of any competent authority issued from time to time. 9. The unit will comply with guidelines issued by CPCB for CBWTFs 10. The unit will run & maintain the pollution control devices i.e. ETP, APCM & HWM facilities in well working and will maintain the separate proper logbooks of the same 11. The unit will handle the BMW related to COVID waste, strictly as per the Guidelines/instructions issued by HSPCB/CPCB /Govt. of India. 12. That authorization under BMW rules 2016 shall not provide immunity from any other Act/Rule applicable on the unit. 13. If fails to comply with conditions/provisions of BMW rules 2016 the authorizations granted shall be revoked automatically without giving any notice.

**KAMALJIT
SINGH**

Digitally signed by
KAMALJIT SINGH
Regional Officer, Ind
Haryana State Pollution
Control Board.
Date: 2023.09.18 11:03:06
+05'30'