



- ❖ Terms & conditions are at the back of this page.
- ❖ Abstraction charges less than 10 KLD are exempted. Any over abstraction of ground Water shall be liable for penalty/compensation /Fee/Charges.
- ❖ The Authority may change the policy on abstraction of ground water Abstraction charges, during the validity of this certificate considering leveling conditions of Ground Water.



Note: This is computer generated certificate, it can be validated by scanning QR code.

Validity of this Registration shall be subject to compliance of the following mandatory conditions

This Registration for abstraction of ground water, shall be subject to the following terms and conditions

1	The applicant shall immediately seek prior permission from HWRA for any increase in daily quantum of groundwater abstraction (i.e. 10 KLD or more) failing which penalty/compensation shall be imposed.
2	Injection of treated/untreated wastewater/effluents into aquifer system is strictly prohibited.
3	All the tube wells/ground water abstraction structures registered shall be fixed with digital water meters, by the industry at its own cost and monthly ground water abstraction data shall be recorded in a logbook. Compliance to this condition shall be reported within one month from the date of issue of this letter. Daily water meter readings to be recorded in a dedicated register and shall be submitted on the web portal to HWRA on quarterly basis or through centralized mechanism evolved by HWRA.
4	The applicant, as per approved proposal, shall implement rainwater harvesting and ground water recharge measures within three months from the date of issuance of this registration certificate and undertake periodic maintenance of recharge structures. Photographs(with geo tag only) of the recharge structures etc. and compliance of completion of construction of the same along with copy of registration certificate shall be furnished immediately to the Haryana Water Resources Authority for verification, on the Email ID of the Authority(compliance-hwra@hry.gov.in)
5	The applicant shall ensure proper recycling and reuse, including use for green belt, of wastewater after adequate treatment.
6	The applicant shall comply with the provisions of the Haryana Water Resources (Conservation, Regulation and Management) Authority Act, 2020, Rules, regulations, guidelines and directions issued thereunder. Non-compliance of these provisions shall be liable for the penalty as per the provisions of the Act, rules and regulations, guidelines and directions issued thereunder.
7	The applicant shall ensure the 100% reuse for non-potable usage of self-generated waste water after due treatment. He shall also ensure to reuse for non-potable usage the Treated Waste Water (other than self-generated) as per application and registration terms and conditions.
8	Since, this registration has been issued on the basis of self-assessment by the applicant and without any site inspection, hence the Authority may inspect the site/unit and documents at any time. In case any material difference is found in the information submitted and the site conditions or documents, the Authority may suspend the registration granted immediately and may revoke or modify the registration after giving a notice the applicant.
9	This registration subject to prevailing State Government Rules/Law of Courts orders related to construction of the tube well, ground water withdrawal, construction of recharge or conservation structure/discharge of effluents or any such matters as applicable.
10	This registration does not absolve the applicant of his obligation/requirement to obtain the necessary approvals from the statutory and administrative Authorities/Departments.
11	The issuance of this registration does not imply that other statutory or administrative clearances shall necessarily be granted to the applicant by the concerned authorities. The concerned Authorities shall act as per their own procedure.
12	The applicant shall immediately inform the HWRA, if any change in the information provided by the applicant in the application form for seeking registration.
13	The necessary compliance shall be submitted to the Authority on the web portal of the Authority i.e. www.hwra.org.in or on the email id compliance-hwra@hry.gov.in
14	In case validity period of the CTE/CTO expires during currency period of the NOC, then it will be responsibility of the project proponent to get it renewed well in time & submit renewed CTE/CTO within month after renewal of CTE/CTO by HSPCB, to HWRA. If the CTE/CTO has been suspended or rejected, project proponent is required to intimate the same to HWRA within a week of such rejection or suspension.
15	

Note: This is computer generated certificate, it can be validated by scanning QR code.