



Haryana State Pollution Control Board
Regional office, HSPCB, Kaithal, 2nd floor of SCO: 161-P,162,163,
Sector 20, HUDA, Kaithal. Email:- hspcbrokai@gmail.com



BMW Annual Report Details

Application Id: 24851337

Particulars of the Occupier	
Annual report submit for year:	2021
Name of the authorized person:	Ishwar Gulia
Name of HCF or CBMWTF:	Divya Waste Management Co.
Address for Correspondence:	Village Kandela
Address of Facility:	Village Kandela Jind
Tel. No.:	8708332821
Fax. No.:	-
E-mail ID:	divyawastemanagement@gmail.com
URL of Website:	na
GPS coordinates of HCF of CBMWTF:	29.377802 76.338456
Ownership of HCF or CBMWTF:	Private
Status of Authorization under the BMW (Management and Handling) Rules:	
Authorization No.:	BMW18JIN4989143
Valid Upto:	30/09/2022
Status of Consents under Water Act and Air Act.:	
Valid Upto:	

Health Care Facilities Details	
HCF/CBMWTF Type:	CBMWTF
Number healthcare facilities covered by CBMWTF:	642
No. of beds covered by CBMWTF:	4400
Installed treatment and disposal capacity of CBMWTF:	2400
Quantity of BMW treated or disposal by CBMWTF:	409178

Quantity of Waste Generated	
Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	
Yellow Category:	339879
Red Category:	31633
White Category:	13382
Blue Category:	24283
General Solid Waste:	0

Storage, Treatment, Transportation, Processing and Disposal Facility Details

Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum:	69298
No of vehicles used for collection and transportation of BMW:	05
Name of the Common BMW Treatment Facility Operator through which wastes are disposed of:	DIVYA WASTE MANAGEMENT COMPANY
Details of the on-site storage facility:	
Size:	UNTREATED STORAGE AND TREATED STORAGE SEPERATELY ROOM
Capacity:	20*20 ROOM BOTH
Provision of on-site storage:	NA

Disposal Facility			
Type of Treatment Equipment	Number of Units	Capacity(Kg/day)	Quantity Treated or Disposed(Kg/annum)
List is Empty			

Details of incineration, ash and ETP sludge generated, disposal during the treatment of wastes in Kg per annum		
Type of waste	Quantity Generated	Where disposal
List is Empty		

BMW Management Committee	
Do you have BMW management committee:	no

Training Conducted on BMW Details	
Number of training conducted on BMW Management:	02
Number of personnel trained:	20
Number of personnel trained at the time of induction:	20
Number of personnel not undergone any training so far:	05
Whether standard manual for training is available:	no
Any other information:	NA

Details of the accident occurred	
No. of accident occurred:	0
Number of the persons affected:	0
Remedial Action taken:	0
Any Fatality occurred, details:	0

Other Details	
Are you meeting the standards of air Pollution from the incinerator?. How many times in last year could not met the standards?:	COPLYING AS PER CPCB GUIDELINES
Details of Continuous online emission monitoring systems installed:	ONLINE MONITORING SYSTEM ATTACHED WITH INCINERATOR

Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year:	TREATED
It the disinfection method or sterilization meeting the log for standards? How many times you have not met the standards in a year?:	TREATED
Any other relevant information:	NA