



(Our Cision, Our Best Service)



M/s. DIVYA WASTE MANAGEMENT CO.

Village & Post Office Shahpur, Tehsil & Distt. Jind-126102 (Haryana)

WWW.dwmc.site

divyawastemanagement@gmail.com

Mob.9992600126

Ref. No. DWMC/ 2025-26/351

Date : 05/09/2025

To

Regional Officer,
Haryana State Pollution Control Board,
Regional Office, Jind

Sub: Environment Statement – 2024-25

Sir,

We are submitting Environment Statement in prescribed form V for the year ending 2025 (period 2024-25) for necessary action please.

Encl: Env. Statement

Thanking you

For Divya Waste Management Co.,

For Divya Waste Management Company

Auth. Signatory 
Auth. Signatory

FORM V

(See Rule 14)

Environmental Statement for the financial year ending on 31st March, 2025

PART A

1	Name and address of the owner/ occupier of the industry operation or process	:	M/s Divya Waste Management Company, V & PO Shahpur, Distt. Jind (Haryana)
2	Industry category Primary (SIC Code) Secondary (SIC Code)	:	Red Category
3	Production capacity	:	Incinerator : 100 Kgs/hr Autoclave : 30 Kgs/hr Shredder : 100 Kgs/hr ETP : 1000 Ltrs/hr DG set : 62.5 KVA
4	Year of establishment	:	September, 2023
5	Date of the last environmental statement submitted	:	30 th September, 2024

PART B

Water and Raw Material Consumption:

Water Consumption (m³/day): **5.0 m3/day**
(Mentioned in CTO issued by HSPCB)

Table 1

Sr.No	Utilization	Requirement m3/d
1	Floor Washing (Reuse after Treatment)	1.4
2	Vehicle washing (Reuse after Treatment)	1.3
2	Domestic use	0.5
3	Venturi Scrubber	1.8

Name of Products	Process Water Consumption per unit of production output
	During Financial Year (2024-25)
Treatment of Bio Medical Waste	As mentioned in Table 1 above

1. Raw Material Consumption:

Name of Raw Materials	Name of Products	Consumption of Raw material in Kgs	
		During previous Financial Year (2023-24)	During current Financial Year (2024-25)
Treatment of Bio Medical Waste	Nil	141822	285325

PART – C

POLLUTION DISCHARGED TO ENVIRONMENT PER UNIT OF OUTPUT

(Parameter as specified in the Consent issued)

(A) Water Pollution Load:

(A) Water Pollution Load.

S. No.	Pollutants	Quantity of Pollutants discharged (Kg/day)	Concentration of Pollutants discharged (mg/l)	% of variations from prescribed standards with reasons
(1)	Suspended Solids	0.052	13	No deviation from prescribed standards
(2)	BOD ₃ at 27°C	0.026	6.5	
(3)	COD	0.16	40	
(4)	Oil & Grease	NA	BDL	

Note:

(i)

Calculations based on total discharge of 4.0 KLD of trade effluent & characteristics of treated sewage.


(ii)

Source of data: Test Report No. 1800 dated 15.01.2025 issued by Laboratory of HSPCB, C-11, Sector-6, Panchkula (Haryana).

(iii)

No Discharge of trade effluent and reused in various industrial usages.

(i) Bar Diagram showing the results vis a vis limits in mg/l.




(B) Air Pollution Load:

Stack emission

S.No.	Air Pollutants	Quantity of Pollutants discharged (Kg/day)	Concentration of Pollutants discharged (mg/Nm ³)	% of variations from prescribed standards with reasons
(1)	PM	1.87	24.4	No deviation from prescribed standards
Note: (iv) Source of data: Test Report No. 725 dated 10.01.2025 issued by Laboratory of HSPCB, C-11, Sector-6, Panchkula (Haryana).				

(ii) Bar Diagram showing the results vis a vis limits in mg/m³.



PART – D

HAZARDOUS WASTES:

(As specified under Hazardous Wastes (Management, Handling & Transboundary Movement) Rules, 2008 and subsequent amendments)

Hazardous Wastes	Total Quantity (kgs)	
	During Financial Year (2023-24)	During Financial Year (2024-25)
From Process (Incineration Ash)	10179	28941
From Pollution Control Facility		
1. ETP Sludge.	1. 886	745.7
2. Scrubber residue.	2. 225	320
3. Used Oil from DG set.	3. 0.021	00

PART - E

SOLID WASTES

Major portion of the solid waste is incineration ash and is disposed off to TSDF at Palli, Faridabad. Quantity is given in part D above.

PART – F

Please specify the characteristics (in terms of concentration and quantum) of hazardous wastes as well as solid wastes and indicate disposal practice adopted for both these categories of wastes.

- Waste Oil (Category No. 5.1):** Source of used oil is from maintenance of DG sets and is used as lubricant in machinery installed in CBWTF.

(a) Quantity:

Nil quantity of used oil is generated from DG Set.

(b) Disposal Practice:

Not applicable.

2. Hazardous Wastes from Process, Pollution Control Devices:

i) Quantity:

The total quantity of solid hazardous waste generated (during 2024-25) from process i.e. incineration ash was about 28.941 Ton.

The total quantity of solid hazardous waste generated (during 2024-25) from pollution control devices i.e. ETP Sludge were about 0.745 Ton and Scrubber residue was about 0.320 Ton.

ii) Disposal Practice:

The hazardous wastes are stored in an intermediate, leachate proof storage room of adequate capacity, situated inside the factory premises. Hazardous waste was disposed off by availing TSDF services being offered by M/s Gujarat Enviro protection & Infrastructure (Haryana) Pvt. Ltd.

Solid Wastes:

Major portion of the solid waste is incineration ash and is disposed off to TSDF at Palli, Faridabad.

PART - G

Impact of the pollution control measures taken on conservation of natural resources and consequently on the cost of production

a) Air Pollution Control Devices:

State-of-the-art air pollution control devices have been provided in the incinerating plant. The CBWTF has installed PM Collector, Quencher and Venturi Scrubber with droplet Separator, ID fan attached with stack of 30 meters height which are being used for maintaining air emission level within prescribed standards. The CBWTF has incurred expenditure in the operation and maintenance of pollution control devices.

b) Installation of Real Time Online Emission Monitoring System:

The CBWTF has installed OCEMS for providing real time data of various parameters prescribed by CPCB/HSPCB and is connected to server of CPCB/HSPCB.

c) Water Pollution Control Devices:

A sophisticated Effluent Treatment has been installed and operated regularly to control water pollution originating from Venturi Scrubber, Vehicles washing and floor washing. The water consumption in the plant has been reduced in view of recirculation and reuse after treatment. The CBWTF has incurred expenditure in the operation and maintenance of pollution control devices.

d) Greenbelt:

The CBWTF has planted varieties of plants in the CBWTF premises and surrounding area for green belt development.

PART - H

Additional measures / investment proposal for environmental protection including abatement of pollution:

The CBWTF had adopted following measures *for environmental protection including abatement of pollution:*

1. Properly operation of plant.
2. Care of Hygiene and housekeeping in CBWTF.
3. Reuse of treated water of ETP in Venturi Scrubber.
4. Proper preventive equipments provided to workers.
5. Awareness of nearby public and representatives of Health Care Facilities regarding proper disposal of Bio-Medical Waste.

PART - I

Any other particulars in respect of environmental protection and abatement of pollution:

1. Silent DG set has been installed to curb noise pollution
2. Awareness programs have been conducted to sensitize stake holders.

For Divya Waste Management Company

Auth. Signatory

Annexure - I

**Copies of Consent &
Authorization**

Consent to Operate for year 2024-25 under Water (Prevention & Control of Pollution), Act, 1974.



HARYANA STATE POLLUTION CONTROL BOARD

Regional Office, HSPCB, Jind SCO 23-24, District
Shopping Centre, Ground Floor, LIC Branch
Office, Sector-10, Urban Estate, Jind- 126102. Email:-
hspcbrojnd@gmail.com
E-mail: hspcb@hry.nic.in



No. HSPCB/Consent/ : 320220923JINCTO43383131

Dated:02/09/2023

To.

M/s :Divya Waste Management Co.
 V & PO Shahpur, Tehsil Alewa, District Jind Haryana

Subject: Grant of consent to operate to M/s Divya Waste Management Co..

Please refer to your application no. 43383131 received on dated 2023-08-11 in regional office Jind. With reference to your above application for consent to operate, M/s Divya Waste Management Co. is here by granted consent as per following specification/Terms and conditions.

Consent Under	BOTH
Period of consent	02/09/2023 - 30/09/2028
Industry Type	Common treatment and disposal facilities(CETP, TSDF, E- waste recycling, CBMWTF, effluent conveyance project, incinerator, solvent/acid recovery plant, MSW sanitary land fill site)
Category	RED
Investment(In Lakh)	110.0
Total Land Area(Sq. meter)	4552.71
Total Builtup Area(Sq. meter)	756.0
Quantity of effluent	
1. Trade	4.5 KL/Day
2. Domestic	0.5 KL/Day
Number of outlets	2.0
Mode of discharge	
1. Domestic	SEPTIC TANK
2. Trade	ETP AFTER TREATMENT FOR RECYCLING/REUSE IN PROCESS
Domestic Effluent Parameters	
1. NA	0
Trade Effluent Parameters	
1. BOD	30 mg/l
2. COD	250 mg/l
3. TSS	100 mg/l
4. pH	5.5-9.0
5. O & G	10 mg/l

Number of stacks	2
Height of stack	
1. Stack attached to Incinerator	35 mtr.
2. stack attached to Dg set 62.5	06 mtr.
Emission parameters	
1. SPM	50 mg/m ³
2. HCL	50 mg/m ³
3. Total Dioxins and Furans	0.1 mg/TEQ/Nm ³
4. Hg and its compound	0.05
Product Details	
1. TREATMENT OF BIO MEDICAL WASTE (K G / D)	750
Capacity of boiler	
1. NA	0 Ton/hr
Type of Furnace	
1. Dual chamber type Incinerator Bio diesel fired	100 KG/Hour
2. Processing capacity of plant	750 kg/d
Type of Fuel	
1. Bio Diesel for Incinerator	02 KL/D
2. Diesel	0.12 KL/day
Raw Material Details	
BIO MEDICAL WASTE	750 Kg/Day

Regional Officer, Jind
 Haryana State Pollution Control Board.

Terms and conditions

1. The applicants shall maintain good house keeping both within factory and in the premises. All hose pipelines valves, storage tanks etc. shall be leak proof. In plant allowable pollutants levels, if specified by State Board should be met strictly.
2. The applicant/company shall comply with and carry out directive/orders issued by the Board in this consent order at all subsequent times without negligence of his /its part. The applicant/company shall be liable for such legal action against him as per provision of the law/act in case of violation of any order/directives. Issued at any time and or non compliance of the terms and conditions of his consent order.
3. The applicant shall make an application for grant of consent at least 90 days before the date of expiry of this consent.

4. Necessary fee as prescribed for obtaining renewal consent shall be paid by the applicant alongwith the consent application.
5. If due to any technological improvement or otherwise this Board is of opinion that all or any of the conditions referred to above required variation (including the change of any control equipment either in whole or in part) this Board shall after giving the applicant an opportunity of being heard vary all or such condition and there upon the applicant shall be bound to comply with the conditions so varied.
6. The industry shall provide adequate arrangement for fighting the accidental leakages, discharge of any pollutants gas/liquids from the vessels, mechanical equipment etc. which are likely to cause environment pollution.
7. The industry shall comply noise pollution (Regulation and control) Rules, 2000.
8. The industry shall comply all the direction/Rules/Instructions as may be issued by the MOEF/CPCB/HSPCB from time to time.
9. The industry shall ensure that various characteristics of the effluents remain within the tolerance limits as specified in EPA Standard and as amended from time to time and at no time the concentration of any characteristics should exceed these limits for discharge.
10. The industry would immediately submit the revised application to the Board in the event of any change in the raw material in process, mode of treatment/discharge of effluent. In case of change of process at any stage during the consent period, the industry shall submit fresh consent application alongwith the consent to operate fee, if found due, which may be on any account and that shall be paid by the industry and the industry would immediately submit the consent application to the Board in the event of any change during the year in the raw material, quantity, quality of the effluent, mode of discharge, treatment facilities etc.
11. The officer/official of the Board shall reserve the right to access for the inspection of the industry in connection with the various process and the treatment facilities. The consent to operate is subject to review by the Board at any time.
12. Permissible limits for any pollutants mentioned in the consent to operate order should not exceed the concentration permitted in the effluent by the Board.
13. The industry shall pay the balance fee, in case it is found due from the industry at any time later on.
14. If the industry fails to adhere to any of the conditions of this consent to operate order, the consent to operate so granted shall automatically lapse.
15. If the industry is closed temporarily at its own, they shall inform the Board and obtain permission before restart of the unit.
16. The industry shall comply all the Directions/ Rules/Instructions issued from time to time by the Board.

Specific Conditions :

1. The unit will keep all parameters with in standards prescribed under Environment (Protection) Rules, 1986 by running and maintaining pollution control measures regularly and effectively.
2. The unit will make agreement with authorized TSDF/Recycler for disposal of hazardous waste i.e. ETP sludge/Used oil of DG set before start of operation of the unit and will submit the Annual Report under HWM Rules, 2016 by 30th June every year.
3. The unit will submit the Environment Statement by 30th September every year.
4. Unit will deposit balance consent fee if any found due at any stage.
5. Unit will utilize their treated effluent as declared in their application.
6. Unit will apply for renewal of consent/Authorization at least 90

days before expiry date of the consent/Authorization.7. This CTO is prejudice to any action under the provisions of applicable laws / acts / notification / courts order to be taken in respect of any violation at any stage without any claim of the unit. If the unit fails to comply the provisions/conditions of CTO, various applicable provisions of concerned departments / agencies / authorities / any relevant decision of court, the consent to operate so granted shall be revoked automatically without giving any notice. 8. Unit will follow all the guidelines regarding CBWTF issued by board time to time.9.Unit will complying the condition of guideline of EIA obtained from SEIAA.10.Unit will submit analysis report within 03 month after operation of the unit.11.Unit will obtained authorization under HWM rules.

Regional Officer, Jind
Haryana State Pollution Control Board.



Authorization for year 2024-25 under HWTM Rules.

Application no. :45431170

Industry id: 23JIN458289

Date: 11/09/2023



Haryana State Pollution Control Board
Regional Office, HSPCB, Jind SCO 23-24, District Shopping Centre, Ground
Floor, LIC Branch Office, Sector-10, Urban Estate, Jind- 126102. Email:-
hspcbrojnd@gmail.com



No. :HWM/JIN/2023/45431170

DT: 11/09/2023

To

M/s Divya Waste Management Co.
V & PO Shahpur, Tehsil Alewa, District Jind Haryana
Jind

Sub: Grant of Authorization under Hazardous and Other Wastes(Management & Transboundry Movement) Rules, 2016

- Reference of application:45431170 dated: 11/09/2023
- Ishwar Singh of Divya Waste Management Co. is hereby granted an authorization for generation, collection, storage, disposal on the premises situated at V & PO Shahpur, Tehsil Alewa, District Jind Haryana

Details of Authorization

S.No.	Name of process and Category of Hazardous Waste as per the Schedules I, II and III of these rules	Authorised mode of disposal or recycling or utilisation or co-processing, etc.	Quantity
1	Industrial operations using mineral/synthetic oil as lubricant in hydraulic systems or other applications, Used/spent oil	Authorized recycler	0.05 KL/Annum
2	Purification and treatment of exhaust air, water and waste water from the treatment plants (CETP's), Chemical sludge from waste water treatment	GEPIIL	0.8 T/Annum
3	Hazardous waste treatment processes, e.g. pre-processing , incineration and concentration, Ash from incinerator and flue gas cleaning residue	GEPIIL	08 T/Annum
4	Hazardous waste treatment processes, e.g. pre-processing , incineration and concentration, Sludge From wet scrubbers	GEPIIL	0.6 T/Annum

- The authorization shall be valid for a period of 11/09/2023 to 30/09/2028
- The authorization is subject to the following general and specific conditions :-

Application no. :45431170

Industry id: 23JIN458289

Date: 11/09/2023

- (i) 1. The unit will maintain the record of Haz. waste in form 4 and submit the Annual Report under HWM Rules by 30th June every year. 2 Unit will apply for renewal of Authorization at least 90 days before expiry date of the Authorisation.3.Unit will make compliance of HW Rules, 2016 strictly. 4. Unit will make renewal of agreement with board authorized agency timely as per board policy and and submit the same to HSPCB .5 That the authorization so granted shall become invalid in case of violation of any of the above law/Rules/ conditions. 6. Unit will install board displaying Hazardous waste information at the entrance of the unit immediately.

Regional Officer Jind
For Haryana State Pollution Control Board

Conditions of Authorization:

1. The authorised person shall comply with the provisions of the Environment (Protection) Act, 1986, and the rules made there under.
2. The authorization or its renewal shall be produced for inspection at the request of an officer authorised by the State Pollution Control Board.
3. The person authorised shall not rent, lend, sell, transfer or otherwise transport the hazardous and other wastes except what is permitted through this authorization.
4. Any unauthorised change is personnel equipment or working conditions as mentioned in the application by the person authorised shall constitute a breach of this authorization.
5. The person authorised shall implement Emergency Response Procedure (ERP) for which this authorization is being granted considering all site specific possible scenarios such as spillages, leakages, fire etc. and their possible impacts and also carry out mock drill in this regard at regular interval of time.
6. The person authorised shall comply with the provisions outlined in the Central Pollution Control Board guidelines on "Implementing Liabilities for Environmental Damages due to Handling and Disposal of Hazardous Waste and Penalty".
7. An application for the renewal of an authorization shall be made as laid down under these Rules.
8. Any other conditions for compliance as per the guidelines issued by the Ministry of Environment, Forest and Climate Changes or Central Pollution Control Board from time to time.
9. Annual return shall be filed by June 30 th for the period ensuring 31 st March of the year.

KAMALJIT SINGH Digitally signed by
Regional Officer Jind
For Haryana State Pollution Control Board
Date: 2023.09.11
10:33:50 +05'30'

Authorization for year 2024-25 under BMW Rules.

Application no. :45428786

Industry id: 23JIN458289

Date: 18/09/2023

HARYANA STATE POLLUTION CONTROL BOARD
 Regional Office, HSPCB, Jind SCO 23-24, District Shopping Centre, Ground
 Floor, LIC Branch Office, Sector-10, Urban Estate, Jind- 126102. Email:-
 hspcbrojnd@gmail.com



No. HSPCB/BMW/2023-2024

Dated 18/09/2023

Authorization No. BMW23JIN45428786

Application No.

45428786

Date of Submission 06/09/2023

BIO MEDICAL WASTE AUTHORIZATION CERTIFICATE

UNDER BIO MEDICAL WASTE RULES,2016.

1. M/s :Divya Waste Management Co. an occupier or operator of the facility located at V & PO Shahpur, Tehsil Alewa, District Jind Haryana , is hereby granted an authorisation for; Generation, segregation, Collection, Storage, Reception, Transportation, Treatment or processing or conversion, Disposal or destruction use

2. M/s Divya Waste Management Co. is hereby authorized for handling of Biomedical Waste as per the capacity given below:

(i) Number healthcare facilities covered by CBMWTF: 642 (Jind and kaithal)

(ii) Installed treatment and disposal capacity: 2400 Kg/Day

(iii) Area or distance covered by CBMWTF: 150

(iv) Quantity of Biomedical waste handled, treated or disposed:

Category	Type of Waste	Quantity Generated or collected in Kg/day
Yellow	a) Human Anatomical Waste	05
	b) Animal Anatomical Waste	0
	c) Soiled Waste	20
	d)Expired or Discarded Medicines	5
	e)Chemical Solid Waste	1014
	f) Chemical Liquid Waste	2.0
	g)Discarded linen, mattresses, beddings contaminated with blood or body fluid	0
	h) Microbiology, Biotechnology and other clinical laboratory waste	3
Red	Contaminated waste (Recyclable)	98
White(Translucent)	Waste sharps including Metals	41
Blue	Glassware	75
	Metallic Body Implants	

Environmental Statement (Form-V) F.Y. 2024-25 Submitted on 05.09.2025

M/s Divya Waste Management Company, V & PO Shahpur, District Jind - Page 14 of 19

Application no. :45428786

Industry id: 23JIN458289

Date: 18/09/2023

3. This authorisation shall be in force for CBMWTF from a period of 18/09/2023 To 30/09/2028 Year from the date of issue.
4. This authorisation is subject to the condition stated below and to such other condition as may be specified in the rules for the time being in force under the Environment (Protection) Act, 1986.

TERMS & CONDITIONS OF AUTHORISATION:-

1. The applicants shall comply with the provisions of Bio-Medical Waste Management Rules 2016 notified vide No.S.O. 630(E) dated 20th July,2016
2. Bio-Medical Waste shall be treated & disposed off in Compliance with the standards prescribed in Schedule I.
3. Every occupier where required shall setup in accordance with the time schedule-IV, requisite treatment Bio-Medical Waste treatment facilities like incinerator, autoclave, microwave system for the treatment of the waste at a common waste treatment facility or any other waste treatment facility.
4. Bio-Medical Waste shall not be mixed with any other waste.
5. Bio-Medical Waste shall be segregated into containers/bags at appoint of generation with Schedule-II prior to its storage, transportation, treatment & disposal. The containers shall be labeled according to Schedule-II
6. If a container is transported from the premises where Bio-Medical Waste is generated to any waste treatment facility outside the premises where Bio-Medical Waste is generated to any waste treatment facility outside the premises, the container shall apart from the label prescribed in schedule III, also carry information according to Schedule IV.
7. Notwithstanding anything contains in Motors Vehicle Act, 1995 or rules there under, untreated the Bio-medical Waste shall be transported only in such vehicle as may be authorised for the purpose by the competent authority as specified by the Govt.
8. No untreated Bio-Medical Waste Shall be kept stored beyond a period of 48 hours.
9. Every authorised person shall maintain records related to the generation, collection, reception, storage, transportation, treatment disposal of Bio-Medical Waste in accordance with those rules & any guideline issued.
10. All records shall be subject to inspection & verifications by the prescribed authority at any time.
11. Suitably designed pollution control devices should be installed/retrofitted with the incinerator to acheive the above emission limits, if necessary.
12. Waste to be incinerated shall not be chemically treated with any chlorinated disinfectants.
13. Chlorinated plastics shall not be incinerated. Toxic metals in incineration ash shall be limited with the regulatory quantities as defined under the Hazardous Waste Management Rules, 2016.
14. Only low sulphur fuel like L.D.O/L.S.H.S/Deisel shall be used as fuel in the incinerator.
15. Occupier will comply all direction for generation, collection, reception, storage, transportation, treatment, disposal as per Bio-Medical Waste Management Rules 2016 & will ensure that there is no adverse effect to human & Environment.
16. The occupier will segregate the Bio-Medical Waste at the point of generation in accordance with the special-II of Bio-Medical Waste Management Rules, 2016.

Application no. :45428786

Industry id: 23JIN458289

Date: 18/09/2023

17. The authorization would be subject/having proper disposal system for Bio-Medical Waste.
18. The unit shall maintained a log Book for suggestion/collection of Bio-Medical Waste at the source (i.e.wards) and also for each category of waste i.e.incineration, autoclaving or landfill etc.
19. The yellow Bags should be non chlorinated bags.
20. The every occupier will also submit the copy of agreement every year before 30th April from any authorised services provider.

Conditions:


1. The unit will adhere the BMW Rules, 2016. 2. Unit will submit annual returns regularly before 30th June every year 3. The unit will submit annual report every year as per BMW Rules. 4. The unit will renew agreement with GEPIL for disposal of HW and submit hard copy in this office. 5. The unit will apply for consent to operate as per BMW Rules, 2016.6.Unit will maintained.
6. Unit will submit the fresh agreements with service providers on yearly basis. 7. The unit will comply with provisions of the BMW Rules, 2016 and Environment Protection Act, 1986.8. The unit will abide by the directions/guidelines HSPCB/CPCB/ Decisions of any court/EPCA/ direction of any competent authority issued from time to time. 9. The unit will comply with guidelines issued by CPCB for CBWTFs 10. The unit will run & maintain the pollution control devices i.e. ETP, APCM & HWM facilities in well working and will maintain the separate proper logbooks of the same 11. The unit will handle the BMW related to COVID waste, strictly as per the Guidelines/instructions issued by HSPCB/CPCB /Govt. of India. 12. That authorization under BMW rules 2016 shall not provide immunity from any other Act/Rule applicable on the unit. 13. If fails to comply with conditions/provisions of BMW rules 2016 the authorizations granted shall be revoked automatically without giving any notice.

KAMALJIT SINGH
Regional Officer, Jind
Haryana State Pollution
Control Board.
Digitally signed by
KAMALJIT SINGH
Date: 2023.09.18 11:03:06

Annexure - II

Copies of Analysis Report
under Water and Air Acts,
1974/1981.

Analysis report dated 15.01.2025 of Trade Effluent after treatment in Effluent Treatment Plant.



Form J

(See Rule 36)


Report No-1800 Type of Sample: Legal Dated:- 15.01.2025

I hereby, certify that I Neeraj Bala Board Analyst duly appointed under sub section (3) of section 53 of the Water (Prevention and Control of Pollution) Act 1974 (06 of 1974), received a sample on the 08th day of January, 2025, collected by Sh. Anil Kumar, Sc.B dated 07th day of January, 2025 of M/s Divya Waste Management Co, VPO- Shahpur, Tehsil- Alewa, Jind for analysis.

Further certify that I have analyzed the above mentioned sample on 08th January -2025 to 15th - January-2025 and declare the result of analysis to be as follows:


Sr. No.	Parameter Name	Result	Result	Limit	Test Method
1.	Sample Code	3507	3508		
2.	Sample Collected from	Inlet of ETP	Outlet of ETP		
3.	Color	Reddish	Colourless	-	-
4.	Odour	Bad	Odourless	-	-
5.	pH value at 25°C	6.76	7.09	5.5-9.0	APHA4500-H+ (B)
6.	Biological Oxygen Demand (mg/l)	175.0	6.5	30	IS:3025(Part-44)
7.	Chemical Oxygen Demand (mg/l)	600.0	40.0	250	APHA 5220 (V)
8.	Total Suspended Solids mg/l	285.0	13.0	100	APHA 2540 (V)
9.	Oil and Grease (mg/l)	17.5	BDL(OL=02)	10	APHA 5530-II
10.	Conductivity at 25°C (µS/cm)	6810.0	1454.0	-	IS:3025(Part-14)

The Conditions of the seals, listening and container on receipt was as follows:
 Container had its seal found intact and in order, slip on the container had the signature of the representative of the industry and the Board.
 Signed this 15th day of January, 2025
 Haryana State Pollution Control Board Laboratory,
 C-11, Sector-06, Panchkula, Haryana
 To
 The Member Secretary, HSPCB, Panchkula
 CC to Regional Office: Jind. This test report relate only to the particular sample submitted for testing.


Neeraj Bala
 Board Analyst

End of the Report

Analysis report dated 10.01.2025 of air emissions of stack attached to Incinerator.


Form IV
 (See Rule 20)

Report No- 725 Dated: 10.01.2025


I hereby, certify that I Neeraj Bala Board Analyst duly appointed under sub section (2) of section 29 of the Air (Prevention and Control of Pollution) Act 1981 received a sample on the 08th January of 2025, collected by Sh. Anil Kumar, Sc.B on the 07th January of 2025, of M/s Divya Waste Management co., VPO- Shahpur, Tehsil- Alewa, Jind for analysis.

Further certify that I have analyzed the above mentioned sample on 08th day January of, 2025 to 10th - January-2025 and declare the result of analysis to be as follows:-

Sr. No.	Parameter Name	Result	Limit
1.	Sample Code	725	
2.	Name of Plant/ Section #	Biomedical Waste Treatment Plant	
3.	Stack Attached to #	Wet Scrubber	
4.	Normal Operating Schedule (hr/day)#	6-7 hrs	
5.	Type of Chimney #	Metal	
6.	Stack Temperature (°C) #	120	
7.	Average stack velocity (m/sec) #	6.04	
8.	Stack Height from Ground Level #	35 m	
9.	Diameter of the Stack #	0.75 m	
10.	Quantity of Emission (m ³ /sec)	2.67	
11.	Type of Fuel #	Biodiesel	
12.	Suspended Particulate Matter (mg/m ³)	14.4	50

Method of Testing As per relevant part of Indian Standard Methods for Measurement of Air Pollution IS:11255 (P-1) Stack/IS:5182 (P-2) Ambient and Emission regulation part III of Central Pollution Control Board.

The Conditions of the seals, listening and container on receipt was as follows:
 Container had its seal found intact and in order, slip on the container had the signature of the representative of the industry and the Board.
 Signed this - **10.01.2025**
Neeraj Bala
 Haryana State Pollution Control Board Laboratory,
 C-11, Sector-6, Panchkula, Haryana
 To
 The Member Secretary, HSPCB, Panchkula
 Regional Office, Jind. This test report relate only to the particular sample submitted for testing.


 Board Analyst

* This information is provided by the Rule 20 of 1986 *
 *** End of Report ***